

ALABAMA DEPARTMENT OF TRANSPORTATION
 LIST III-4
JOINT AND CRACK SEALANTS

PRODUCT NAME	VENDOR CODE	DATE APPROVED	BABA COMPLIANT**
<u>HOT APPLIED SEALANTS MEETING AASHTO M 324 (ASTM D6690), TYPE 1</u>			
SEALTIGHT HI-SPEC	1	03/01/1988	Y2
CRAFCO ROAD SAVER 34211	2	12/10/1990	Y2
DEERY 103	2	01/31/2000	Y2
DURAFILL 1190	3	09/05/2006	Y2
CRACKMASTER 1190	3	01/07/2013	Y2
#3405 REGULAR	4	06/05/2012	N1
ELASTOFLEX 51	5	08/07/2017	N1
NEXGEN (MODEL NO. 526-1)	10	02/07/2022	N1
ELASTOFLEX (MODEL NO. 410)	5	04/07/2025	N1

<u>HOT APPLIED SEALANTS MEETING AASHTO M 324 (ASTM D6690), TYPE 2</u>			
SEALTIGHT 3405 POLYMERIC	1	11/06/2000	Y2
DEERY 102	2	01/31/2000	Y2
CRAFCO ROAD SAVER 34221	2, 6	07/6/2004	N1
DURAFILL 3405	3	09/05/2006	Y2
CRACKMASTER 3405	3	01/07/2013	Y2
#3405 REGULAR	4	06/05/2012	N1
ELASTOFLEX 61	5	02/05/2018	N1

Note 1: Self-leveling sealers should only be used in horizontal applications that are fairly level. The self-leveling characteristics of these materials allows them to flow downhill prior to curing.

** Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

N = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' deadline (but can be used on non-federal funded projects)

N2 = Complies with 'final assembly requirement' but does not meet October 1, 2026, '55% rule (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55%' Rule:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions.

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

ALABAMA DEPARTMENT OF TRANSPORTATION
 LIST III-4
JOINT AND CRACK SEALANTS

PRODUCT NAME	VENDOR CODE	DATE APPROVED	BABA COMPLIANT**
<u>COLD APPLIED SILICONE SEALANTS MEETING ASTM 5893(For Use with PORTLAND CEMENT CONCRETE)</u>			
CRAFCO ROADSaver SILICONE	2, 6	07/01/1991	Y2
DOWSIL™ 888 SILICONE JOINT SEALANT	7	10/31/1994	N1
DOWSIL™ 890-SL SILICONE JOINT SEALANT	7	10/31/1994	N1
CSL 315 (SELF-LEVELING SEALER)*	8	01/04/1993	N1
CSL 342	8	01/04/1993	N1
SPECTREM 800□	9	04/12/2007	N1
SPECTREM 900 SL ¹	9	01/12/2007	N1
SIKASIL 728 RCS□	10	04/12/2007	Y2
SIKASIL 728 NS	10	04/12/2007	Y2
SIKASIL 728 SL	10	04/12/2007	Y2
PECORA (MODEL NO. 301NS)	12	10/07/2024	N1
PECORA (MODEL NO. 300SL)	12	10/07/2024	N1

Note 1: Self-leveling sealers should only be used in horizontal applications that are fairly level. The self-leveling characteristics of these materials allows them to flow downhill prior to curing.

** Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

N = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' deadline (but can be used on non-federal funded projects)

N2 = Complies with 'final assembly requirement' but does not meet October 1, 2026, '55% rule (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55%' Rule:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions.

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

VENDORS

- | | | |
|---|---|---|
| 1. W.R. MEADOWS OF GEORGIA
100 RIVERSIDE DRIVE SW
CARTERSVILLE, GA 3012
PH: (770) 386-6440 | 2. CRAFCO, INC.
6165 W. DETROIT ST.
CHANDLER, AZ 85226
PH: (602) 276-0476 | 3. P & T PRODUCTS, INC.
472 INDUSTRIAL PKWY.
SANDUSKY, OH 44870
PH: (419) 621-1966 |
| 4. RIGHT POINTE COMPANY
234 HARVESTORE DRIVE
DEKALB, IL 60115
PH: (815) 754-5700 | 5. MAXWELL PRODUCTS, INC.
650 S. DELONG STREET
SALT LAKE CITY, UT 84104
PH: (801) 972-2090 | 6. NATIONAL HIGHWAY MAINTENANCE
P O BOX 5315
AKRON, OH 44334
PH: (330) 922-3649 |
| 7. DOW CHEMICAL CO.
2030 DOW CENTER
MIDLAND, MICHIGAN 48764
PH: (989) 639-1000 | 8. CSL SILICONES
144 WOODLAWN ROAD W.
GUELPH, ONTARIO
PH: (519) 836-9044 | 9. TREMCO, INC.
3735 GREEN ROAD
BEACHWOOD, OH 44122
PH: (216) 292-5000 |
| 10. SIKA CORPORATION
201 POLITO AVENUE
LYNDHURST, NJ 07071
PH: (201) 933-8800 | 11. QUALITY PAVEMENT REPAIR (QPR)
7322 BONNYSHIRE DRIVE
CHATTANOOGA, TN 37416
PH: (443) 966-1188 | 12. PECORA CORPORATION
165 WAMBOLD ROAD
HARLEYSVILLE, PA 19438
PH: (215) 799-7557 |

NOTES

1. Self-leveling sealers should only be used in horizontal applications that are fairly level. The self-leveling characteristics of these materials allows them to flow downhill prior to curing.