

LIST IV-4

MISCELLANEOUS TRAFFIC CONTROL DEVICES**Channelizers****(NCHRP-350 Compliant allowed only on County Route and City Street Projects)**

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Dura-Curb	Y2	04/07/2014	John Thomas, Inc	Assy. # 348-{0,1,2,3,4} (Dura-Curb section, 40" long); Part #355-0 (Dura-Curb end section, 18" long); Part #40-36-##-## (Dura Post, 36" high). Mountable, continuous run longitudinal system.
FG 300 Curb System	Y2	03/03/2008	Pexco LLC, Davidson Traffic Control Products	Fully plastic, mountable continuous run longitudinal system. Polyethylene construction, anchor bolt system.
800CURBTRP	Y2	03/03/2014	Pexco LLC, Davidson Traffic Control Products	FG 300 Turnpike Curb System. Fully plastic, mountable 36" non-continuous curb section with a single FG 300 post mounted in the middle. Used on high-speed/high-volume routes.
MB 42 X 45 LCD	Y2	12/06/2010	OTW Safety	Blow molded, high density polyethylene, water ballasted (8 gallons max) [HSA-10/WZ-214], 45" long, 42" high, 23.5" wide. ** SEE NOTE 1
MB 42 X 72 JSS LCD	Y2	12/06/2010	OTW Safety	Blow molded, high density polyethylene, water ballasted (10.8 gallons max) [HSSD/WZ-277], 72" long, 42" high, 24" wide. ** SEE NOTE 1

1 – Shall be used as a channelizing device only, not approved as a barrier.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Channelizers (MASH Compliant allowed on all Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Tuff Curb Channelizer	Y2	03/03/2008	Impact Recovery Systems, Incorporated	Injection molded, HDPE, reboundable sprint post system, mountable curb. Comes in two half sections of 12" wide, 20" long, and 3 1/2" high.
Tuff Curb XLP	Y2	09/06/2011	Impact Recovery Systems, Incorporated	Injection molded, HDPE, reboundable spring post system, mountable curb. Comes as a 8" wide, 40" long, and 2" high section with optional 10" long couplers. Available in white or yellow .
Qwick Kurb Channelizer	Y2	07/10/2006	Qwick Kurb, Incorporated	Longitudinal channelizer, temporary or permanent, surface mount, markers. Mash Tested.
TSS-590	Y2	06/08/2021	Traffic Safety Service LLC	The TSS-590 can be filled with water or sand to create channelizer for a variety of uses.
SF0200	Y2	04/04/2011	Shur-Tite Products	SHUR-CURB™ TRAFFIC SEPARATOR, Longitudinal channelizer, temporary or permanent, surface mount, markers.
Pexco Bike Bollard	Y2	02/04/2025	Pexco LLC. Davidson Traffic Control Products	Pexco Bike Bollard utilizes a small anchor compatible with SDS Max drills, ease of installation, the 3-inch diameter post.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Delineators (NCHRP-350 Compliant allowed only on County Route and City Street Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments/Description
K72	Y2	11/06/2017	eNdoto	Urban identification STYLE posts, for use on walkways, bicycle paths, etc. Vandal resistant, dark brown or black, re-erecting memory material.
HD 600 series	Y2	12/02/1991	Flexstake, Incorporated	Ground mount, single piece, flexible post.
SM 700 series	Y2	12/02/1991	Flexstake, Incorporated	Surface mount, 4-piece, flexible post.
UM 300 series	Y2	05/04/1992	Flexstake, Incorporated	Ground mount, off-road, single piece, flexible post.
SM 750 series	Y2	08/04/1997	Flexstake, Incorporated	Surface mount, 4-piece, tubular, flexible post.
EZ series	Y2	03/04/2002	Flexstake, Incorporated	Curve marker, flexible post.
201-S	Y2	09/08/1998	Impact Recovery Systems, Incorporated	Flexible, tubular post. 36", 42", & 48" heights; white, yellow, and orange colors; driveable or fixed base application.
Delineator Posts	Y2	08/01/2011	Impact Recovery Systems, Incorporated	Flexible, tubular post with the top 14" flattened to allow for 3" x 12" retroreflective sheeting; 36, 42, & 48 heights; white, yellow, and orange colors; driveable or fixed base application.
Guardrail Delineator Posts	Y2	08/01/2011	Impact Recovery Systems, Incorporated	Flexible, 35" post with 2 – 3" x 14" flat panels, white or yellow, mounts to guardrail post.
4305-41095	Y2	03/31/1997	Nucor Steel Marion, Inc.	Bend-Bak post. Mild-carbon steel. Direct driven into ground. Manually straightened. Powder-Shell coated.
SH2 xxGPY—WS	Y2	02/28/1994	Valtir, LLC	Type 2, flexible post, round with flattened tip, 3" x 9" reflective strip, and driveable anchor system. [(xx = size in inches; 24, 28, 36, 42, 48, or 54), (y = anchor type; 1, 3-9)]

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule’ deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Delineators (NCHRP-350 Compliant allowed only on County Route and City Street Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments/Description
SH248SQR—WS	Y2	01/04/2016	Valtir, LLC	Type 2, flexible post, ground mount, round with flattened tip, 3" x 9" reflective strip, and 2" x 2" x 24" perforated square tube anchor. [SQR-LOC]
SH3 xxGPY—YA	Y2	02/28/1994	Valtir, LLC	Type 3, flexible post, round with recessed cap, 6" reflective wrap, and driveable anchor system. [(xx = size in inches; 24, 28, 36, 42, 48, or 54), (y = anchor type; 1, 3-9)]
SHL36mmmXXXX-ss	Y2	08/04/2008	Valtir, LLC	Dura Post, 3" round post(yellow, white, or orange), 36" high, one-piece construction, pavement and soil mounting options. [mmm = mount type: SMA – surface or GP3 – soil; ss = reflectivity tape: 03 – 3" bands, 12 – 3" x 12" strips]
SRXhhmmm-XXX	Y2	08/04/2008	Valtir, LLC	Rubber Tough 360, 3 ½" round post, two-piece omni-directional hinge, double vertical panel, pavement, soil, and portable mounting options. [hh = height in inches: 24, 28, 36, 42, 48, 54, or 60; mmm = mount type: SMB – surface, GPS – soil, or PCD – portable base]
K71	Y2	08/07/2017	US Reflector	Flexible, self re-erecting, one-piece round post with 2 – 4" reflective sheeting collars; for temporary or permanent use.
OP2	Y2	08/03/2020	Impact Recovery Systems	2 5/8 Delineator post used in Bike lanes, HOV lanes, Pedestrian refuge, etc. It comes in three colors, White, Yellow, and Orange. Type IV or XI Sheeting from ALDOT QPL V-1.
FTGM	Y2	11/2/2020	Pexco, LLC.	FTGM Drivable Ground Anchor Delineator Post
FT Flex Tabs/ FR Flex Rails	Y2	01/06/2021	Artuk Inc.	

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Delineators (MASH Compliant allowed on all Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments/Description
FG 300 EFX	Y2	03/03/2008	Pexco LLC, Davidson Traffic Control Products	Poly-urethane, Flex-Guide, surface mount post, 1 year limited warranty, supports vertical panels for greater target value. Mash 16-Self Certified Cat 1
Shur-Flex Driveable	Y2	06/08/2009	Shur-Tite Products	Flexible post system, 48" height, round with flattened 12" tip, driveable anchor system.
Shur-Flex Surface	Y2	06/08/2009	Shru-Tite Products	Flexible post system; 36", 42", or 48" height, round with flattened 3.5" tip, surface mount base system, mounts on slopes up to 30°.
Shur-Tite Guardrail	Y2	06/08/2009	Shur-Tite Products	Flexible post, 33" height, round with flattened 14" tip, clamps to guardrail posts.
FG 300 UR	Y2	06/04/2013	Pexco LLC, Davidson Traffic Control Products	Poly-urethane, Flex-Guide, surface mount post. Mash 16-Self Certified Cat 1
FG 566	Y2	06/30/1997	Pexco LLC, Davidson Traffic Control Products	Flexi-Guide post with FG 95 or FG 96 anchor. Mash 16-Self Certified Cat 1
City Post GD	Y2	05/10/2018	Pexco LLC	One piece delineator, glue down, pinwheel base, no assembly required, NCHRP 350, available in white, yellow, & orange. Mash 16-Self Certified Cat 1
City Post EAC	Y2	05/10/2018	Pexco LLC	One piece delineator, embedded anchor cup, screw-in base, NCHRP 350, available in white, yellow, & orange. Mash 16-Self Certified Cat 1
City Post SM	Y2	05/10/2018	Pexco LLC	One piece delineator, 4 bolt surface mount anchor system, NCHRP 350, specify color when ordering. Mash 16-Self Certified Cat 1
FG348GM	Y2	09/08/2020	Pexco LLC.	FG 348 is a ground mount delineator post. Mash 16-Self Certified Cat 1
DP 200	Y2	09/08/2020	Pexco LLC.	DP 200 is a 3' round ground mount channelizer post. Mash 16-Self Certified Cat 1

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

FG300PE	Y2	09/08/2020	Pexco LLC.	FG 300 PE is a surface mount delineator post. Mash 16-Self Certified Cat 1
FTGM	Y2	11/2/2020	Pexco, LLC.	FTGM Drivable Ground Anchor Delineator Post. Mash 16-Self Certified Cat 1
TSM Series 360 Flat & Tubular	Y2	08/05/2013	New Direction Manufacturing, Inc.	Flexible, 360 degree, surface mount delineator, 18" – 48" post with flexible hinge, single pin, flat or tubular post. Mash 16-Self Certified Cat 1
FTSTR SERIES	Y2	10/17/2023	Pexco, LLC.	FSTR Series is a two part system consisting of a driveable ground anchor and a replaceable, impact resistant flexible post. A delineation for roadways and other marking applications requiring long term durability as well as vehicle and direct tire resistance.
U-Flex Surface	Y2	1/5/2026	Shur-Tite Products, Inc.	Features a 18"-48" Urethane 3" OD post with a built-in end that utilizes our 7"x7" ABS base. Secured with 4 anchors.

LED Illuminated Signs

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
RAZOR	Y2	08/10/2015	Temple, Inc.	Edge-Lit(boundary lit can), internally illuminated LED sign, single or double-sided. Removable end-caps for access to sign faces and LED lights, 1.6 inches thick, 5 lbs./sq. ft. Street Name Sign lengths of 24" to 120" in 6" increments and heights of 15", 18" 20" 22" 24" & 30" visual opening. Regulatory Sign dimensions of 18" to 36" wide and 18" to 36" high visual opening.
flip	Y2	08/10/2015	Temple, Inc.	Edge-Lit(boundary lit can), internally illuminated LED sign, single or double-sided. Flip-down front panel for access to sign faces and LED lights, 3.5 inches thick, 5 lbs./sq. ft. Street Name Sign lengths of 48", 72", & 96" and heights of 15", 18", & 24 visual opening.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

LED Illuminated Signs

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
TCSSIGNBL-XX-LL-HH	Y2	01/04/2016	Transportation Control Systems	BriteLite EdgeLit(boundary lit can), internally illuminated LED sign, single or double sided, Street Name Sign lengths of 48" to 144" in increments of 12" and heights of 18", 20", 24" & 28". 2 1/4" thick for single sided and 3" thick for double sided.

Loop Sealants

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
DLS 5000	Y2	03/31/1997	3M Corporation	One component, black, flexible, corrosion resistant, self-leveling.
#575	Y2	10-06-1997	Bondo Corporation	One component, flexible, corrosive resistant, self-leveling; Gray one quart cartridges & 4.5 gallon pails; Black 4.5 gallon pails & one liter sausage paks.
P-606	Y2	10/10/2006	Bondo Corporation	Two component flexible, fast curing, corrosive resistant, self-leveling, 12 month shelf life.
Q-Seal 290S	Y2	01/02/2001	Chemque, Incorporated	One component, flexible, self-leveling, 5-gal pail or 30 fl. oz. cartridge
Q-Seal 295	Y2	03/05/2012	Chemque, Incorporated	Two component polyurethane, self-leveling; 55 gallon drums, 10 gallon kits, or 21 fl. oz. tubes.
STAT-A-FLEX	Y2	05/03/1999	Durant Performance Coatings, Inc.	Two component, flexible, corrosion resistant, self-leveling. (1, 3.5, 5, or 55 gal.)
Pro-Seal 6006	Y2	06/04/1996	Rai Products	Two part, dark brown, flexible, self-leveling, 1-gallon cans.
Loop Guard 4	Y2	11/01/1999	Safety Coatings, Incorporated	One component, medium gray, flexible; 1-quart tube, 1-gallon can, or 5-gallon can; 12 month shelf-life.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Loop Sealants

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
TA-500	Y2	03/05/2012	Tri-American, Incorporated	One component, modified polymer, flexible for asphalt or concrete; 5-gallon pails or 55-gallon drums.

Miscellaneous

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Opti-CURB	Y2	11/06/2017	eNdoto	Toughened glass curb marker, 360 ° visibility, illuminates and defines raised medians, curbs, islands, rotaries, and merging lanes, requires small core-drill to install.
800 8395 801y 800 8395 802w	Y2	03/06/2017	Pexco LLC, Davidson Traffic Control Products	Island Alert Curb Reflector; 48" long x 1.2" wide x 2" high, flexible, full radius curb delineation, yellow/amber or white reflective sheeting.
RoadQuake 2	Y4	11/04/2013	Plastic Safety Systems, Inc.	Temporary portable rumble strip. 3 – 45" sections, 13 inches wide, and ¾ of an inch thick to produce 11 foot lane coverage. Weighs 35 pounds per section. For speed limits of 75 mph or less. Single person installation. Requires no equipment for installation or removal, not fastened to pavement.
RoadQuake 2F	Y4	06/03/2014	Plastic Safety Systems, Inc.	Temporary portable rumble strip. Folding, 11 feet long, 13 inches wide, and ¾ of an inch thick. Folds to 66 inches, weighs 110 lbs. For speed limits of 75 mph or less. No assembly required. Not fastened to pavement.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Miscellaneous

SPD	Y2	10/7/2025	Artuk	Sign Post Delineator available in 2"x60", 2"x72", 3"x60" or 3"x72". Mounts to a U-Channel or a Square Sign Post.
Median Alert	Y2	01/04/2016	Profession Pavement Products, Inc.	Product code: 12-8-8-1. 48" long X 2 ½" wide X 1 ¼" high, flexible, full radius curb delineation.
UniBrac - YHYS	Y2	11/06/2017	SolaRight Lighting, LLC	Mounting System for IIRPM YHYS, mounts to signs, barricades/barriers, gates, curb tops, and steps.
TraFFix Alert	Y4	08/07/2017	TraFFix Devices, Inc.	Temporary portable rumble strip. 3 – 46.5" x 12" x 1" rubber sections @ 24 lbs each to form 12' x 1' x 1" rumble strip @ 72 lbs. Available in black, orange, or white. For speeds of 35 mph or less.
ADA WALL (Pedestrian)	Y2	04/19/2018	TraFFix Devices, Inc.	Pedestrian Longitudinal Channelizing Device.
ICBM	Y2	05/06/2019	Xcessories Squared	Median barrier sign mount bracket. Simple and easy to install.
TraFFix Alert Rumble Strip	Y4	03/02/2020	TraFFix Devices, Inc.	Temporary portable rumble strip. 12" wide x ¾" tall x 66" long sections link via jigsaw connection. Each section weighs 75lbs. Designed for roadways of 40+mph.
57000-AO	Y2	03/02/2020	TraFFix Devices, Inc.	Pedestrian Longitudinal Channelizing Device..
BMMV	Y2	11/2/2020	Custom Products Corporation	Brite Max Multi View Post Reflector
TPAR Barricade	Y2	6/8/2021	Pexco LLC	Temporary Pedestrian Access Route Barricade
LEO-PR	Y2	9/7/2021	Lightle Enterprises of Ohio	Aluminum Sign Post Reflector
LEO-PRACM	Y2	9/7/2021	Lightle Enterprises of Ohio	Aluminum Composite Sign Post Reflector
2090-BLK	Y4	1/3/2022	Cortina Safety Products	Workzone Alert Rumble Strips
Strongwall ADA /	Y2	01/27/2020	Plasticade Products	ADA Pedestrian barricade / longitudinal channelizer

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Reflectors – Barrier Walls / Guardrails

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
RF1 (0110- <u>x</u>)	Y2	11/06/2017	eNdoto	Round prismatic, high power, 2.37" diameter, <u>x</u> = (W-white, Y-yellow, A-amber, R-red, G-green, or B-blue), used for guard rails, barrier walls, and custom signs,
RF2 (0112- <u>x</u>)	Y2	11/06/2017	eNdoto	Rectangular prismatic, high power, 3.5" x 4", <u>x</u> = (W-white, Y-yellow, A-amber, R-red, G-green, or B-blue), used for guard rails, barrier walls, and custom signs,
RF3 (0114- <u>x</u>)	Y2	11/06/2017	eNdoto	Slim & Long prismatic, high power, 1.5" x 7", <u>x</u> = (W-white, Y-yellow, A-amber, R-red, G-green, or B-blue), used for guard rails, barrier walls, and custom signs,
RF4 (0116- <u>x</u>)	Y2	11/06/2017	eNdoto	Trapezoid prismatic, high power, 4.75" x 2.75", <u>x</u> = (W-white, Y-yellow, A-amber, R-red, G-green, or B-blue), used for guard rails, barrier walls, and custom signs,
Monarch Reflective Device (series)	Y2	09/10/2012	Irwin-Hodson Company	Guardrail reflector, universal "D" bracket (attaches with mechanical fasteners or 2 VHB adhesive pads), one or two way reflective, 9 sq. in. reflective surface per side, 3M Diamond Grade (DG3) sheeting.
Barrier Traffic Reflector (series)	Y2	10/06/2014	Irwin-Hodson Company	Concrete barrier reflector, 11 inch x 3.1 inch, single or double-sided panel, mounts with mechanical fasteners or adhesive, 27 square inch White or Yellow reflective surface area per side. [Optional sizes of 5, 7, or 9 inches with a 9, 15, or 21 square inch reflective surface area per side respectively.]
A-Shape HTR-4 (series)	Y2	07/11/2016	Irwin-Hodson Company	Concrete barrier reflector, 4 inch x 4 5/8 inch (18 square inches), single or double sided, mounts with mechanical fasteners or adhesive, White or Yellow reflective material, aluminum substrate.
Circular Disc, 3 1/4"	Y2	03/06/2017	Irwin-Hodson Company	3 1/4" reflective circular disk to be used on Barrier Walls and/or Guardrails. Aluminum substrate with diamond grade reflective sheeting.
105111 <u>x</u>	Y2	04/03/2017	Luciol System Company LLC	Bi-directional linear delineation, used on barrier walls & guardrails, 12.5 feet sections, colors and combinations vary depending on application. [<u>x</u> = 0 or 1: 0 = Guardrail installation, 1 = Concrete Barrier installation]

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Reflectors – Barrier Walls / Guardrails

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
800BTBO	Y2	09/06/2011	Pexco LLC, Davidson Traffic Control Products	Butterfly guardrail reflector, flexible, trapezoidal, bolt-on type for “W” beam style guardrails.
800BTGO	Y2	09/06/2011	Pexco LLC, Davidson Traffic Control Products	Butterfly guardrail reflector, flexible, trapezoidal, glue-on type for “W” beam style guardrails.
PCBM – 36	Y2	10/06/2014	Pexco LLC, Davidson Traffic Control Products	Concrete barrier reflector, 4.5 inch x 8 inch, single or double-sided panel, mounts with mechanical fasteners or adhesive, 36 square inch White reflective surface area per side.
Hi-Viz Flex Tab Enhanced Linear Delineation (ELD)	Y2	05/10/2018	Pexco LLC	A self-adhesive flexible marker, for use on barrier walls and guardrail, specify color when ordering.
PCBM, T-20 Barrier Reflector	Y2	05/10/2018	Pexco LLC	4.5”X4” Barrier wall reflector w/ hinge that allows for spring back action, for use on barrier walls and guardrail, specify color when ordering.
LDS (Series 340)	Y2	06/08/2020	3M Company- Transportation Safety Division	3M LDR System is intended for linear reflectorization of concrete barrier walls and metal guardrails.
TI-CTB3	Y2	11/2/2020	Trafco Industries, Inc.	1W,1Y,2W,2Y,2WY
TI-CTB16	Y2	11/2/2020	Trafco Industries, Inc.	1W,1Y,2W,2Y,2WY
TI-GF1	Y2	11/2/2020	Trafco Industries, Inc.	Butterfly Delineator 1W,1Y,2W,2Y,2WY
TI-GF2	Y2	11/2/2020	Trafco Industries, Inc.	Guardrail Delineator 1W,1Y,2W,2Y,2WY
BMJB	Y2	11/2/2020	Custom Products Corporation	Brite Max Barrier Mount Delineator
BMGA	Y2	11/2/2020	Custom Products Corporation	Brite Max A Style Barrier Delineator
BMGRD	Y2	11/2/2020	Custom Products Corporation	Brite Max Butterfly Guardrail Delineator
BMGSMV	Y2	11/2/2020	Custom Products Corporation	Brite Max Multi View Guardrail Delineator Marker

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule” deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Reflectors – Barrier Walls / Guardrails

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Flexx 2020	Y2	01/06/2021	Hall Manufacturing	Traffic Barrier Delineator/Railrider
TD9100	Y2	01/06/2021	Three D Traffic Works	Guardflex
TD9304	Y2	01/06/2021	Three D Traffic Works	Roadguide
Acrylic Prismatic Reflector 3"	Y2	01/06/2021	Vega Molded Prod.,Inc.	
PCBM-T12	Y2	01/06/2021	Filtrona Extrusion	

Reflectors – Buttons for Roadway Signs

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Acrylic Prismatic Reflector 3"	Y2	01/06/2021	Vega Molded Prod.,Inc.	

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule” deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Roadway Markers

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
YH-YS(1 or 2), Steady	Y2	02/02/2015	SolaRight Lighting, LLC	Solar Road Stud: Raise-Pavement marker, internally illuminated, solar/pseudocap, (1=one direction; 2=two directions), steady burn only, 2 year warranty.
YH-DD1xy(z)	Y2	02/02/2015	SolaRight Lighting, LLC	Solar Road Marker: Flush-mount, internally illuminated, solar/pseudocap, x = F or S (F lash or S teady), y & z = colors (R ed, G reen, B lue, Y ellow, & W hite; y only is unidirectional, y & z is bidirectional).
LS1000+CWSYS	Y2	4/13/2020	Lux Solar, Inc.	In-Roadway Lights System (Mid Block Pedestrians)
LS1000+	Y2	4/13/2020	Lux Solar, Inc.	In-Road Solar Markers

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule' deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Truck / Trailer Mounted Attenuators (NCHRP-350 Compliant allowed only on County Route and City Street Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SS90HD	Y4	11/01/1999	Valtir, LLC (Formerly Trinity Highway Products)	Truck mounted , NCHRP 350, TL – 3. Safe-Stop; good up to speeds of 62 mph. 13’ – 2” long, 7’ – 9” wide, 12” road clearance, and weighs 1,996 lbs. Host vehicle shall have a minimum weight of 16,090 lbs.
SST	Y4	02/06/2006	Valtir, LLC (Formerly Trinity Highway Products)	Trailer mounted , NCHRP-350, TL – 3. Safe-Stop; good up to speeds of 62 mph, 19’ – 3” long, 7’ – 9” wide, and 3’ – 9” high. Host vehicle shall have a minimum weight of 9,920 lbs.
Vorteq TL-3	Y4	11/13/2008	Valtir, LLC (Formerly Trinity Highway Products)	Trailer mounted , NCHRP-350, TL – 3. Safe-Stop; good up to speeds of 62 mph, 22.9’ long, 7’ – 8” wide, and 2’ – 6.5” high. Host vehicle shall have a minimum weight of 10,000 lbs.
TTMA-100	Y4	05/09/2007	Gregory Industries, Inc	Trailer mounted , NCHRP-350, TL – 3. Good up to speeds of 62.5 mph, 23’ – 6” long, 8’ wide, 2’ – 7” high, with or without arrow board. Host vehicle shall have a minimum weight of 10,000 lbs.
Scorpion, 10002, TL-2	Y4	09/11/2012	TrafFix Devices, Inc.	Trailer mounted , NCHRP-350, TL – 2. Good up to speeds of 45 mph, 13’ long, 8’ wide, and 3’ high. Host vehicle shall have a minimum weight of 10,000 lbs.
Scorpion, 10002, TL-3	Y4	09/11/2012	TrafFix Devices, Inc.	Trailer mounted , NCHRP-350, TL – 3. Good up to speeds of 62.5 mph, 17’ – 10” long, 8’ wide, and 3’ high. Host vehicle shall have a minimum weight of 10,000 lbs.
Scorpion, Model A	Y4	04/07/2014	TrafFix Devices, Inc.	Truck mounted , NCHRP-350, TL – 2. Good up to speeds of 45 mph.
Scorpion, Model C-90	Y4	04/07/2014	TrafFix Devices, Inc.	Truck mounted , NCHRP-350, TL – 3. Good up to speeds of 62.5 mph, does not fold up over truck bed.
Scorpion, Model C	Y4	04/07/2014	TrafFix Devices, Inc.	Truck mounted , NCHRP-350, TL – 3. Good up to speeds of 62.5 mph, folds up over/onto the truck bed.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule’ deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Truck / Trailer Mounted Attenuators (NCHRP-350 Compliant allowed only on County Route and City Street Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
MPS 350® X	Y4	06/05/2015	Valtir, LLC (Formerly Trinity Highway Products)	Truck mounted , NCHRP-350, TL – 3. Mobile Protection System. Good up to speeds of 62 mph, galvanized, cantilever design, mobile or stationary operations, one piece, 14' long, 5' – 9" wide, 12" road clearance, and weighs 1,680 lbs. Host vehicle shall have a minimum weight of 15,000 lbs.
SS180	Y4	06/05/2015	Valtir, LLC (Formerly Trinity Highway Products)	Truck mounted , NCHRP-350, TL – 3. Safe-Stop TMA 180. Good up to speeds of 62 mph, folds to half length for transport, mobile or stationary operations, 14' – 5" long, 7' – 9" wide, 12" road clearance, and weighs 2,070 lbs. Host vehicle shall have a minimum weight of 16,090 lbs.
TTMA-100	Y4	08/05/2019	Gregory Industries, Inc	NCHRP 350, TL-3. Host vehicle may be up to 10K lbs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Truck / Trailer Mounted Attenuators (MASH Compliant allowed on all Projects)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Blade TMA	Y4	11/06/2017	Verdegro USA, LLC	<i>Truck mounted</i> , MASH tested, modular & repairable.
TTMA-200	Y4	05/06/2019	Gregory Industries, Inc	<i>Trailer mounted attenuator. Host vehicle 10,000lbs+. MASH test level 3.</i>
10000-TL3M-12C-(FBS) OR (S)	Y4	04/19/2018	TrafFix Devices, Inc.	<i>A mobile crash cushion installed on host vehicle. TL-3, up to 62.5 MPH Host vehicle weight should have a minimum of 15,000 lbs.</i>
10002-TL3M-12TA	Y4	04/19/2018	TrafFix Devices, Inc.	<i>A mobile crash cushion w/ a trailer tongue for towing by host vehicle. TL-3. Host vehicle weight should have a minimum of 12,000 lbs.</i>
SMT	Y4	03/02/2020	Valtir, LLC (Formerly Trinity Highway Products)	<i>Trailer mounted</i> , MASH TL-3. Good up to speeds of 62 MPH 20'2" long, 88" wide, 40" high. Host vehicle shall be a minimum weight of 12,000 lbs.
SS180M	Y4	03/02/2020	Valtir, LLC (Formerly Trinity Highway Products)	<i>Truck mounted</i> , MASH TL-3. Good up to speeds of 62 MPH 7'9" long-folded, 14'7" long deployed, 6'10" wide, 37.75" high single, 78.75" high folded.. Host vehicle shall be a minimum weight of 13,500 lbs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

VTQ-M	Y4		VORTEQ M	Trailer-Mounted Attenuator , MASH Test Level 3 (TL-3) tested. TMA system for mobile work zone shadow vehicles and stationary work zone barrier.
-------	----	--	----------	--

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Manufacturers List

Manufacturer	Address	Phone	WEB/Contact
3M Corporation	3M Corporate Headquarters, 3M Center St. Paul, MN 55144-1000	P: (888) 364-3577 f:	http://www.3m.com/Product/
	563 Cindy Lane Montgomery, AL 36116	P: (334) 288-2357 f:	
Bondo Corporation	3700 Atlanta Industrial Parkway Atlanta, GA 30331	P: (800) 622-8754, (404) 696-2730 f: (404) 696-6814	http://www.bondo-online.com/
Chemque, Incorporated	6106 Guion Road Indianapolis, IN 46254	P: (800) 268-6111, (416) 679-5676 f: (416) 679-0511	http://chemque.com/
Durant Paints, Incorporated	112 Railroad Street Rever, MA 02151	P: (800) 420-0021, (781) 289-1400 f: (781) 289-1405	http://www.durantcorp.com/
eNdoto	43 Franklin Street East Harford, CT 06108	P: (888) 906-9327, (860) 289-8033 f: (860) 289-8035	http://www.endotocorp.com/
Flexstake, Incorporated	2150 Andrea Lane Fort Myers, FL 33912	P: (800) 348-9839, (239) 481-3539 f: (239) 482-3539	http://www.flexstake.com/
Gregory Industries, Inc.	4100 13 th Street, SW Canton, OH 44710	P: (330) 477-4800 [CO] P: (603) 430-9350 office, (330) 933-4756 cell F: (603) 431-1680	Contact: Rick Mauer Email: rmauer@gregorycorp.com http://www.gregorycorp.com/
Impact Recovery Systems, Incorporated	4955 Stout Drive San Antonio, TX 78219	P: (800) 736-5256, (210) 736-4477 f: (210) 734-6448	http://www.impactrecovery.com/
Irwin-Hodson Company	2838 SE 9 th Avenue Portland, OR 97202	P: (888) 752-3851, (503) 231-9990 f: (530) 239-5304	Email: info@ihco.com http://www.irwinhodson.com/
John Thomas, Inc	1560 Lovett Drive Dixon, IL 61021	P: (888) 447-7263 f: (888) 335-3948	http://crashcushions.com/
Luciol System Company LLC	3080 Dixie Highway, Suite A Waterford, MI 48328	P: (248) 890-9454 f: (248) 920-0362	Email: nskrzypczak@luciolsystems.com http://www.luciolsystems.com/

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Manufacturers List

Manufacturer	Address	Phone	WEB/Contact
Pexco, LLC	8912 North Fork Dirve North Fort Myers, FL 33903	P: (239) 464-6591 F: (239) 599-4576	http://www.ndm-inc.com/
Nucor Steel Marion, Inc.	912 Cheney Avenue Marion, OH 43302	P: (800) 333-4011, (740) 383-4011 f: (740) 383-6429	http://nucorhighway.com/
OTW Safety	P.O. Box 1461 Salt Lake City, UT 84110	P: (888) 363-7740 f: (801) 363-6372	http://otwsafety.com/
Qwick Kurb, Incorporated	1916 US 41 South Ruskin, FL 33570	P: (800) 324-8734, (813) 645-5072 f: (813) 645-4856	http://www.qwickkurb.com/
Pexco LLC, Davidson Traffic Control Products	3110 70 th Ave. East Tacoma, WA 98424	P: (877) 335-4638 f: (253) 284-8080 Scott Pantall: (904) 612-3078	Email: scott_pantall@pexco.com http://www.davidsontraffic.com/
Plastic Safety Systems, Inc.	2444 Baldwin road Cleveland, OH 44104	P: (800) 662-6338, (216) 231-8590 f: (216) 231-2702	http://www.plasticsafety.com/
Proflect, LLC	12 Jackson Street Long Branch, NJ 07740	P: (888) 801-9727, (732) 272-1477 f: (732) 272 1478	Email: info@proflect.com http://www.proflect.com/
Professional Pavement Products, Inc.	8081 Phillips Hwy, Suite 22 Jacksonville, FL 32256	P: (888) 717-7771 f:	Email: info@pppcatalog.com http://www.pppcatalog.com/
Rai Products	P.O. Box 240772 Charlotte, NC 28224	P: (888) 776-7325, (704) 525-1852 f: (704) 525-1859	http://www.raiproducts.com/
Safety Coatings, Incorporated	P.O. Box 399, 20180 Safety Lane Foley, AL 36536-0399	P: (251) 943-1938 f: (251) 943-3698	http://www.safetycoatings.com/
SolaRight Lighting	301 NE 70 th Street Oklahoma City, OK 73105	P: (620) 719-8333 f:	http://www.solarightlighting.com/

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule’ deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Manufacturers List

Manufacturer	Address	Phone	WEB/Contact
Shur-Tite Products	P.O. Box 2283 Round Rock, TX 78680	P: (512) 218-9500 f: (512) 388-0417	Email: info@SHUR-TITE.com http://www.shur-tite.com/
Temple, Inc.	305 Bank Street Decatur, AL 35601	P: (800) 633-3221, (256) 353-3820 F: (256) 353-4578	http://temple-inc.com/
Traffic and Parking Control Co., Inc [TAPCO]	5100 West Brown Deer Road Brown Deer, WI 53223	P: (800) 236-0112, (262) 814-7000 f: (800) 444-0331	Email: tapco@tapconet.com http://www.tapconet.com/
TraFFix Devices, Inc.	SE Territory Office Corporate Off. 3780 Paul Samuel Road 160 Avenida La Pata Kennesaw, GA 30152 San Clemente, CA 92673	P: (770) 778-8281, (770) 794-7338 [SE] P: (949) 361-5663 [CO] f: (949) 573-9289 [SE], (949) 573-9250 [CO]	Email: devans@traffixdevices.com http://www.traffixdevices.com/
Transportation Control Systems	1030 South 86 th Street Tampa, FL 33619	P: (800) 886-2735	http://www.tcstraffic.com/
Tri-American, Incorporated	980 Ames Avenue Milpitas, CA	P: (800) 782-6543, (408) 946-5788 f: (408) 946-6077	http://www.triamerican.com/
Valtir, LLC (Formerly Trinity Highway Products)	15601 Dallas Parkway, Suite 525 Addison, TX 75001	P: (888) 323-6374	http://www.valtir.com/
US Reflector	43 Franklin Street East Hartford, CT 06108	P: (860) 906-3390, (888) 906-9327 f: (860) 289-8035	http://www.usreflector.com/
Verdegro USA, LLC	888 Biscayne Blvd, Suite 505 Miami, FL 33132	P: (786) 408-5709 f: (786) 431-3097	Email: sales@verdegro.com http://www.verdegro.com/en/

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 ‘final assembly requirement’ but (but can be used on non-federal funded projects)

N2 = Complies with “final assembly requirement” but does not meet October 1, 2026, ‘55% rule’ deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for ‘final assembly requirement’ and ‘55% Rule’:

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>

Distributors List

Manufacturer	Address	Phone	WEB/Contact
Gulf Material Sales, LLC.	70393 Bravo Street Covington, LA 70433	P: (205) 602-9484	www.gulfmaterialsales.com Email: jchandler@gulfmaterialsales.com
Next-Gen Solar Lighting, Inc.	930A Robtrice Ct, No. C Edmond IK 73034	P: (405) 924-3101 f: (405) 340-8295	Email: Todd@nextgensolarlighting.com http://www.nextgensolarlighting.com/
TranSafe, Inc.	1625 Spectrum Drive, Suite 100 Lawrenceville, GA 30043	P: (800) 969-5103; (770) 962-2222 f: (770) 513-8881	http://transafeproducts.com/

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = No. Item is not BABA compliant for federal funded projects.

N1 = Does not meet October 1, 2025 'final assembly requirement' but (but can be used on non-federal funded projects)

N2 = Complies with "final assembly requirement" but does not meet October 1, 2026, '55% rule" deadline (but can be used on non-federal funded projects)

-Refer to Federal Register Buy America Requirements for Manufactured Products for 'final assembly requirement' and '55% Rule':

<https://www.federalregister.gov/documents/2025/01/14/2024-31350/buy-america-requirements-for-manufactured-products>

-Refer to the link below for the Procedures for Evaluation and Maintenance for this list for maintenance requirements and removal conditions:

<https://www.dot.state.al.us/publications/Materials/PROCS.html>